If continuation sheet 1 of 1

And States

Division of Health Care Facilities

ATEMENT OF DEFICIENCIES D PLAN OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: TN7202			(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 11/03/2010	
AME OF PROVIDER OR SUPPLIER	EA COUNTY HWY					
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES PREFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL TAG REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PROVIDER'S PLAN OF CO PREFIX (EACH CORRECTIVE ACTION TAG CROSS-REFERENCED TO THE DEFICIENCY)		ON SHOULD BE HE APPROPRIATE	(X5) COMPLETE DATE	
N 000 Initial Comments	<u> </u>		N 000			
November 1-3, 20 was investigated.	survey conducted fro 10, complaint #TN00 No deficiencies were Standards for Nursin	025623, cited with			s	<i>t</i> 0
				e		· · ·
		e e				
9	er e	ið.		9 V X		= 1 s, . # Y
		ā				
			9	el .		